



Sana Vera

100% Natural Skin Wound Healing Spray

Suitable for Ruminants

Topical spray

Ingredients:

- Calendula officinalis Extract
- Aloe vera Extract
- Propolis Extract

Having a healthy skin is an indicator of the general health of the animal because the skin acts as the first line of defense against

all kinds of pathogens. Another function of the skin is to moderate temperature and blood pressure. In case of damage to the

skin, this defensive barrier is disrupted and all kinds of infections and diseases can affect the animal.



Mechanism of action:

Sana Vera is a 100% natural spray that heals all kinds of wounds and skin inflammations in cattle, sheeps and goats. The main ingredients of this product include extracts of Calendula, Aloe vera and Propolis. These compounds have broad analgesic, antiinflammatory, antibacterial, antifungal, and antioxidant properties, and by enhancing the immune system, stimulating collagen synthesis and increasing epithelialization, wound contraction, and forming granulation tissue, they speed up the wound healing process.

Calendula improves the wound by increasing collagen and elastin. Aloe vera with vitamins A, B1, B2, B6, C, E and folic acid stimulates tissue growth and cell regeneration. Compared to tetracycline, Propolis has faster effects in the improvement of lumpy skin disease in cattle.

Sana Vera does not contain any toxicity and its formulation does not contain any synthetic chemicals, preservatives or antibiotics. Therefore, it can be used in sensitive conditions like pregnancy, milking, newborns and young animals, and even weak physical conditions.



Sana Vera Indications:

- Open wounds and skin burns
- Lesions caused by insect bites
- Lesions caused by fungal infections
- Lesions caused by the bites of external parasites (fleas, ticks, mite, etc.)
- Atopic dermatitis
- Scratches and cuts
- Itching and redness of irritated skin caused by food allergies, hypersensitivities, etc
- Postoperative wounds
- Lesions caused by autoimmune and metabolic diseases
- Infectious wounds and myiasis
- Healing and treatment of blisters, pimples and dermatitis
- Vesicles and skin lesions caused by viral diseases such as foot and mouth disease and herpes viruses
- Lesions caused by lumpy skin disease in cattle
- Lesions caused by dermatophilosis (lumpy wool) in sheep
- After caseous lymphadenitis surgery in sheeps and goats



Recommended dosage:

If the wound is bleeding, first stop the bleeding. Then clean the wound thoroughly. Spray 3-5 times daily until complete healing of the wound.

Side effects:

Mild topical irritation and reddening of the skin may occur temporarily

Storage Conditions:

Store in a cool and dry place at 25°C and away from direct sunlight.

Cautions:

Not intended for human use however contact with human skin during application is safe.



120 ml bottles

Expiration Date:

24 months from production date



